

Použitá a doporučená literatura

- Arx J. A. von, Guarro J. et Figueras M. J. (1986): The ascomycete genus *Chaetomium*. – 162 p., Berlin et Stuttgart.
- Barron G.L. (1968): The Genera of Hyphomycetes from soil. - 364 p., Baltimore.
- Currah R.S. (1985): Taxonomy of the Onygenales: Arthrodermataceae, Gymnoascaceae, Myxotrichaceae and Onygenaceae. - *Mycotaxon* 24: 1-216.
- Domsch K.H., Gams W. et Anderson T.-H. (1980): Compendium of soil fungi. Vol. 1. - 859 p., London etc.
- Fassatiová O. (1979): Plísně a vláknité houby v technické mikrobiologii. - 240 p., Praha.
- Fassatiová O. (1986): Moulds and filamentous fungi in technical microbiology. – Elsevier, Amsterdam etc., 233 p.
- Frisvad J.C. (1983): A selective and indicative medium for groups of *Penicillium viridicatum* producing different mycotoxins in cereals. - *J. Appl. Bacteriol.* 54: 409-416.
- Frisvad J.C. (1985): Creatine sucrose agar, a differential medium for mycotoxin producing terverticillate *Penicillium* species. - *Lett. Appl. Microbiol.* 1: 109-113.
- Frisvad J.C., Frank J.M., Houbraken J.A.M.P., Kuijpers A.F.A., Samson R.A. (2004): New ochratoxin A producing species of *Aspergillus* section Circumdati. – *Stud. Mycol.* 50: 23-43.
- Gams W. (1971): Cephalosporium-artige Schimmelpilze (Hyphomycetes). - 262 p., Jena.
- Gams W. (1971): Tolypocladium, eine Hyphomycetengattung mit geschwollenen phialiden. - *Persoonia* 6(2): 185-191.
- Gams W. et Bissett J. (1998): Morphology and identification of *Trichoderma*. - In: Kubicek C. P. et Harman G. [Eds.], *Trichoderma & Gliocladium*. Vol. 1. Basic biology, taxonomy and genetics, p. 3-34.
- Gams W. et Hoozemans A.C.M. (1970): Cladobotryum-Konidienformen von Hypomyces-Arten. - *Persoonia* 6(1): 95 - 110.
- Gerlach W. et Nirenberg H. (1982): The genus *Fusarium* - a pictorial atlas. - *Mitt. Biol. Bundesanst. Land- u. Forstwirtsch.*, Berlin, 209: 1-406.
- Gravesen S., Frisvad J. C., Samson R. A. (1994): *Microfungi*. - Munksgaard, Copenhagen, 168 p.
- Hoog G. S. de, Guarro J., Gene J. et Figueras J. (2001): *Atlas of clinical fungi*. – ASM Press, 1160 p.
- Hoog G.S. de (1972): The genera *Beauveria*, *Isaria*, *Tritirachium* and *Acrodontium* gen.nov. - *Stud. Mycol.* 1: 1-41.
- Jesenská Z. (1987): Mikroskopické huby v požívatinách a krmivách. - Bratislava.
- Kirk P. M., Cannon P. F., David J. C., Stalpers J. A. (eds.) (2001): Ainsworth and Bisby's Dictionary of Fungi. 9.ed. – CABI Publishing, Wallingford, 624 p.
- Klich M. A. (2002): Identification of common *Aspergillus* species. – USDA, New Orleans, 116 p.
- Kozakiewicz Z. (1989): *Aspergillus* species on stored products. – *Mycol. Pap.* 161: 1-188.
- Křísa B. et Prášil K. (eds.) (1994): Sběr, preparace a konzervace rostlinného materiálu. 3. ed. - Přírodovědecká fakulta UK, Praha.
- Kubátová A., Váňová M., Prášil K. (1997): CCF catalogue of filamentous fungi (4th ed.). - Novit. Bot. Univ. Carol., Praha, 10/1996: 5-120.
- Leslie J. et Summerell B. A. (2006): The *Fusarium* laboratory manual. – Blackwell Publishing, Ames, 388 p.
- Lund F. (1995): Differentiating *Penicillium* species by detection of indole metabolites using a filter paper method. – *Lett. Appl. Microbiol.* 20: 228-231.
- Lundquist N. (1972): Nordic Sordariaceae s. lat. – *Symb. Bot. Upsal.* 20(1): 1-374 + 63 pl.

- Malíř F., Ostrý V. et al. (2003): Vláknité mikromycety (plísň), mykotoxiny a zdraví člověka. – NCONZO, Brno, 349 p.
- Matsushima T. (1975): Icones microfungorum a Matsushima lectorum. - 625 p., Kobe.
- Morton F.J. et Smith G. (1963): The genera *Scopulariopsis* Bainier, *Microascus* Zukal, and *Doratomyces* Corda. - Mycol. Pap. 8: 1-96.
- Pitt J. I. et Hocking A. D. (1997): Fungi and food spoilage. 2nd ed. – Blackie Academic & Professional, London etc., 593 p.
- Pitt J. I., Hocking A. D. et Glenn D. R. (1983): An improved medium for the detection of *Aspergillus flavus* and *A. parasiticus*. - J. Appl. Bacteriol. 54: 109-114.
- Pitt J.I. (1979): The genus *Penicillium* and its teleomorphic states *Eupenicillium* and *Talaromyces*. - 634 p., New York.
- Pitt J.I. (1988): A laboratory guide to common *Penicillium* species. - 187 p., North Ryde.
- Raper K. B. et Thom C. (1949): A manual of the *Penicillia*. - 875 p., Baltimore.
- Raper K.B. et Fennell D.I. (1965): The genus *Aspergillus*. - 686 p., Baltimore.
- Reenen-Hoekstra E.S. van, Frisvad J.C., Samson R.A. et Stolk A.C. (1990): The *Penicillium funiculosum* complex - well defined species and problematic taxa. - In: Samson R.A. et Pitt J.I. [ed.], Modern concepts in *Penicillium* and *Aspergillus* classification, p. 173-191.
- Rossmann A. Y., Samuels G.J., Rogerson C.T. et Lowen R. (1999): Genera of *Bionectriaceae*, *Hypocreaceae* and *Nectriaceae* (Hypocreales, Ascomycetes). - Stud. Mycol. 42: 1-248.
- Saito M. et Machida S. (1999): A rapid identification method for aflatoxin-producing strains of *Aspergillus flavus* and *A. parasiticus* by ammonia vapor. - Mycoscience 40: 205-208.
- Samson R. A. et Frisvad J. C. (1991): Current taxonomic concepts in *Penicillium* and *Aspergillus*. – In: Chelkowski J. (ed.), Cereal grain. Mycotoxins, fungi and quality in drying and storage, p. 405 – 439.
- Samson R. A., Hoekstra E. S., Frisvad J. C. et al. (2004): Introduction to food- and airborne fungi. 7th ed. – CBS, Utrecht, 390 p.
- Samson R.A. (1974): Paecilomyces and some allied hyphomycetes. - Stud. Mycol., 6: 1-119.
- Samson R.A., Evans H.C. et Latgé J.-P. (1988): Atlas of entomopathogenic fungi. - 187 p., Berlin etc.
- Samson R.A., Houbraken J.A.M.P., Kuijpers A.F.A., Frank J.M. et Frisvad J.C. (2004): New ochratoxin A or sclerotium producing species in *Aspergillus* section *Nigri*. – Stud. Mycol. 50: 45-61.
- Stolk A.C. et Samson R.A. (1971): Studies on *Talaromyces* and related genera I. *Hamigera* gen. nov. and *Byssochlamys*. - Persoonia 6(3): 341-357.
- Tzean S.S., Hsieh L.S. et Wu W.J. (1997): Atlas of entomopathogenic fungi from Taiwan. - 214 p., Taipei.
- Tzean S.S., Chen J.L., Liou G.Y., Chen C.C. et Hsu W.H. (1990): *Aspergillus* and related teleomorphs from Taiwan. - 113 p., Hsinchu.
- Tzean S.S., Chiu S.C., Chen J.L., Hseu S.H., Lin G.H., Liou G.Y., Chen C.C. et Hsu W.H. (1994): *Penicillium* and related teleomorphs from Taiwan. - 159 p., Hsinchu.
- Ulloa M., Hanlin R. T. (2000): Illustrated dictionary of mycology. - 448 p., APS Press, St. Paul.
- Wingfield M.J., Seifert K.A. et Webber J.F. [eds.] (1993): *Ceratocystis* and *Ophiostoma*. Taxonomy, ecology and pathogenicity. - 293 p., St. Paul.
- Zare R. et Gams W. (2004): A monograph of *Verticillium* section *Prostrata*. – Rostaniha (Bot. J. Iran), Suppl. 3: 1-188.

Vybrané internetové odkazy

CBS Filamentous Fungi database (2006): <http://www.cbs.knaw.nl/databases/index.htm>

Chumchalová J., Němec M., Kotoučková L., Páčová Z., Savická D., Kubátová A., Patáková P. (2001): Miniatlas mikroorganismů (bakterie, kvasinky a vláknité houby)

<http://www.vscht.cz/obsah/fakulty/fpbt/ostatni/miniatlas/>

Malloch D. (1997): Moulds. Isolation, cultivation, identification.

www.botany.utoronto.ca/ResearchLabs/MallochLab/Malloch/Moulds/Moulds.html

Pöldmaa, K., Farr, D.F., & McCray, E.B. (n.d.): Hypomyces Online, Systematic Botany & Mycology Laboratory, ARS, USDA. Retrieved December 18, 2006, from <http://nt.ars-grin.gov/taxadescrptions/keys/HypomycesIndex.cfm>

Samuels G. J., Chaverri P., Farr D. F. et McCray E. B. (n.d.): Trichoderma Online, Systematic Botany & Mycology Laboratory, ARS, USDA. Retrieved December 18, 2006, from <http://nt.ars-grin.gov/taxadescrptions/keys/TrichodermaIndex.cfm>

Šimůnek J. (2003): Mykotoxiny

<http://www.med.muni.cz/toCP1250.cz/prelek/MYKOTW/mtidx.htm>